

# GOIZPER

**YOUR PARTNER  
IN POWER TRANSMISSION**



DISTRIBUIDOR  
AUTORIZADO

MEX (55) 53 63 23 31 MTY (81) 83 54 10 18  
ORO (442) 1 95 72 60 ventas@industrialmagza.com


## UNIDADES INTERMITENTES DE EJES PARALELOS

## PARALLELACHSEN- GETRIEBE

UIPE - UIP - 45 / 400




# UIPE 45



UIPE 45	
Repetibilidad Wiederholgenauigkeit	$\pm 0,015$ en/auf $\varnothing 35$
Precisión de indexado Positioniergenauigkeit	$\pm 0,030$ en/auf $\varnothing 35$
Carga axial máxima admisible Maximal zul. axiale Belastung am Abtrieb	95 N
Momento de vuelco máximo admisible Maximal zul. Kippmoment am Abtrieb	11 Nm
Carga radial máxima admisible Maximal zul. radiale Belastung am Abtrieb	295 N
Peso Gewicht	~ 5 Kg

# UIPE 65



UIPE 65	
Repetibilidad Wiederholgenauigkeit	$\pm 0,015$ en/auf $\varnothing 50$
Precisión de indexado Positioniergenauigkeit	$\pm 0,030$ en/auf $\varnothing 50$
Carga axial máxima admisible Maximal zul. axiale Belastung am Abtrieb	315 N
Momento de vuelco máximo admisible Maximal zul. Kippmoment am Abtrieb	27 Nm
Carga radial máxima admisible Maximal zul. radiale Belastung am Abtrieb	645 N
Peso Gewicht	~ 15 Kg




DISTRIBUIDOR  
AUTORIZADO

MEX (55) 53 63 23 31  
QRO (442) 1 95 72 60


MTY (81) 83 54 10 18  
ventas@industrialmagza.com

# UIPE 80



UIPE 80	
Repetibilidad Wiederholgenauigkeit	± 0,015 en/auf Ø 65
Precisión de indexado Positioniergenauigkeit	± 0,030 en/auf Ø 65
Carga axial máxima admisible Maximal zul. axiale Belastung am Abtrieb	745 N
Momento de vuelco máximo admisible Maximal zul. Kippmoment am Abtrieb	85 Nm
Carga radial máxima admisible Maximal zul. radiale Belastung am Abtrieb	1.395 N
Peso Gewicht	~ 29 Kg

# UIPE 105



UIPE 105	
Repetibilidad Wiederholgenauigkeit	± 0,015 en/auf Ø 80
Precisión de indexado Positioniergenauigkeit	± 0,030 en/auf Ø 80
Carga axial máxima admisible Maximal zul. axiale Belastung am Abtrieb	1.095 N
Momento de vuelco máximo admisible Maximal zul. Kippmoment am Abtrieb	165 Nm
Carga radial máxima admisible Maximal zul. radiale Belastung am Abtrieb	1.990 N
Peso Gewicht	~ 50 Kg




DISTRIBUIDOR  
AUTORIZADO

MEX (55) 53 63 23 31  
QRO (442) 1 95 72 60

MTY (81) 83 54 10 18  
ventas@industrialmagza.com


# UIP 125



## UIP 125

Repetibilidad Wiederholgenauigkeit	$\pm 0,015$ en/auf $\varnothing 110$
Precisión de indexado Positioniergenauigkeit	$\pm 0,030$ en/auf $\varnothing 110$
Carga axial máxima admisible Maximal zul. axiale Belastung am Abtrieb	1.590 N
Momento de vuelco máximo admisible Maximal zul. Kippmoment am Abtrieb	2.550 Nm
Carga radial máxima admisible Maximal zul. radiale Belastung am Abtrieb	2.700 N
Peso Gewicht	~ 100 Kg


# UIP 160



## UIP 160


Repetibilidad Wiederholgenauigkeit	$\pm 0,015$ en/auf $\varnothing 140$
Precisión de indexado Positioniergenauigkeit	$\pm 0,030$ en/auf $\varnothing 140$
Carga axial máxima admisible Maximal zul. axiale Belastung am Abtrieb	3.950 N
Momento de vuelco máximo admisible Maximal zul. Kippmoment am Abtrieb	1.030 Nm
Carga radial máxima admisible Maximal zul. radiale Belastung am Abtrieb	7.270 N
Peso Gewicht	~ 160 Kg

# UIP 200



UIP 200	
Repetibilidad Wiederholgenauigkeit	± 0,015 en/auf Ø 160
Precisión de indexado Positioniergenauigkeit	± 0,030 en/auf Ø 160
Carga axial máxima admisible Maximal zul. axiale Belastung am Abtrieb	6.780 N
Momento de vuelco máximo admisible Maximal zul. Kippmoment am Abtrieb	1.910 Nm
Carga radial máxima admisible Maximal zul. radiale Belastung am Abtrieb	11.850 N
Peso Gewicht	~ 360 Kg

# UIP 400



UIP 400	
Repetibilidad Wiederholgenauigkeit	± 0,015 en/auf Ø 330
Precisión de indexado Positioniergenauigkeit	± 0,030 en/auf Ø 330
Carga axial máxima admisible Maximal zul. axiale Belastung am Abtrieb	24.200 N
Momento de vuelco máximo admisible Maximal zul. Kippmoment am Abtrieb	11.300 Nm
Carga radial máxima admisible Maximal zul. radiale Belastung am Abtrieb	43.300 N
Peso Gewicht	~ 900 Kg

# GOIZPER



**DISTRIBUIDOR  
AUTORIZADO**

MEX (55) 53 63 23 31  
QRO (442) 1 95 72 60

MTY (81) 83 54 10 18  
ventas@industrialmagza.com

- GOIZPER GROUP

Antigua, 4  
20577 Antzuola  
Gipuzkoa - Spain

Tel: + 34 943 78 60 00  
Email: goizper@goizper.com

- GOIZPER FRANCE

Espace d'Activités Becquerel  
15, Avenue Henri Becquerel  
51000 Châlons en Champagne - France

Tel: + 33 (0)3 26 21 08 39  
Email: goizperfrance@goizper.com

- GOIZPER TRANSMISSION MACHINERY (WUXI) CO., LTD.

No. 3 Workshop, Fengneng Road,  
Wind Power Science & Technology Industrial Park,  
Huishan Economic Development Zone,  
214174 Wuxi, Jiangsu - China

Tel: +86 186 217 020 36  
Email: goizperchina@goizper.com

 **Goizper Group**  
Growing through cooperation

[www.goizper.com](http://www.goizper.com)